

## 1. IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

Catalogue No. : P 63978

Product Name : PARAFFIN LIQUID HEAVY

Manufacturer/supplier identification

Company : NICE Chemicals (P) Ltd., Cochin, India

Tel - 0484 2800212, 2802755

Contact for information : Tel. No.- 0484 2802536 Fax : 0484 2802483 Emergency Telephone No. : 0484 2801583 Tele fax No. : 0484 2802483

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture of solid, saturated hydrocarbons

CAS-No : 8002-74-2 Ec-Index No. :

Molar Mass : EC-No. : 232-315-6

3. HAZARDS INDEX : According to the evaluative data available, a classification according to

categories

of danger as specified in Directive 67/548/EEC & laid down in the legislation of

the country concerned is not required.

**4. FIRST AID MEASURES** : After swallowing (large amounts) : consult doctor if feeling unwell.

**5. FIRE-FIGHTING MEASURES:** Suitable extinguishing media: Powder, foam.

Special risks: Combustible.

**6.** ACCIDENTAL RELEASE MEASURES : Procedures for cleaning/absorption : Take up dry.

Forward for disposal. Clean up affected area.

**7. HANDLING & STORAGE :** Handling - No further requirements.

Storage - Tightly closed.

Storage temperature: No restrictions.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Respiratory protection: Not required

Eye Protection : Required : Not required

Industrial hygiene: Wash hands after working with substance.



Catalogue No. : P 63978

Product Name : PARAFFIN LIQUID HEAVY

#### 9. PHYSICAL & CHEMICAL PROPERTIES

Form : Liquid

Colour : Colourless to white

 $\begin{array}{cccc} Odour & : & Odourless \\ pH \ value \ at \ \ g/l \ H_2 \ O \ (20^{\circ} \ C) & : & Neutral \end{array}$ 

Viscosity dynamic (20 ° C) : 25 - 80 mm /s

Melting temperature : Not available

Boiling temperature : > 300 ° C

Setting Point : -15 ° C

Ignition temperature : > 300 ° C

Flash Point : ~240 ° C

Explosion limit lower : Not available

upper : Not available Vapour pressure (20 ° C) : <0.01 hPa

Relative vapour density : Not available Density  $(20 \,^{\circ} \,^{\circ} \,^{\circ} \,^{\circ})$  :  $\sim 0.82 - 0.87 \,^{\circ} \,^{\circ} \,^{\circ}$  Bulk density :  $\sim 400 - 500 \,^{\circ} \,^{\circ} \,^{\circ}$ 

Solubility in Water ( $20^{\circ}$  C) : Insoluble Thermal decomposition :  $> 180^{\circ}$  C

**10. STABILITY & REACTIVITY**: Conditions to be avoided: Heating

Substances to be avoided : Strong oxidizing agents.

Hazardous decomposition products: Carbon monoxide, aldehydes

**11. TOXICOLOGICAL INFORMATION**: No toxic effects are to be expected when the product is handled appropriately.

After swallowing of large amounts gastrointestinal complaints.

**12. ECOLOGICAL INFORMATION**: No ecological problem are to be expected when the product is handled

and

used with due care and attention.

13 DISPOSAL METHOD : Disposal in compliance with official regulations. Handle contaminated packaging

in the same way as the substance itself. If not officially specified differently, non-contaminated packaging may be treated like house-hold waste or recycled.

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. Approved waste disposal companies which will advise you on how to dispose of special waste.

**14. TRANSPORT INFORMATION**: Not subject to transport regulations.



Catalogue No. : P 63978

Product Name : PARAFFIN LIQUID HEAVY

# 15. REGULATORY INFORMATION

Labeling according to EC Directives

Symbol : ---R-phrases : ---S-phrases : ---

Water pollution class: 0 (generally polluting substance)

## **16. OTHER INFORMATION**:

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.