

DATE 10-01-2024

CERTIFICATE OF ANALYSIS

PRODUCT : D.M.Water - 5 L
BATCH NUMBER : 401765
BATCH SIZE : 200.0 Nos
MFD. DATE : January, 2024
EXPIRY DATE : December, 2028

1	DESCRIPTION	:	A CLEAR COLOURLESS ODOURLESS LIQUID
2	PH (at the time of manufacturing)	:	6 (LIMIT 5.5 - 7.5)
3	SPECIFIC CONDUCTANCE (CONDUCTIVITY) (at the time of manufacturing)	:	0.4 μ mhos/cm (LIMIT 1 μ mhos/cm MAX)
4	RESIDUE ON EVAPORATION	:	2.1PPM (LIMIT 5 PPM MAX)
5	NITRATE (NO ₃)	:	Absent to test (LIMIT 0.3 PPM MAX)
6	TDS	:	NIL (SHOULD BE ABSENT)
7	PHOSPHATE (PO ₄)	:	Absent to test (LIMIT 0.1 PPM MAX)
8	AMMONIUM (NH ₄)	:	Absent to test (LIMIT 0.01 PPM MAX)
9	POTASSIUM (K)	:	Absent to test (LIMIT 0.05 PPM MAX)
10	SODIUM (Na)	:	Absent to test (LIMIT 0.1 PPM MAX)
11	SILICATE (SiO ₂)	:	Absent to test (LIMIT 0.1 PPM MAX)
12	TOTAL HARDNESS	:	Absent to test (LIMIT 1 PPM MAX)
13	SULPHATE (SO ₄)	:	Absent to test (LIMIT 1 PPM MAX)
14	LEAD (Pb)	:	Absent to test (LIMIT 0.05 PPM MAX)
15	CHLORIDE (Cl)	:	Absent to test (LIMIT 0.1 PPM MAX)
16	IRON (Fe)	:	Absent to test (LIMIT 0.05 PPM MAX)

Remarks: The above product complies as per the specifications of **Nice Chemicals Private Limited**
- Quality Assurance Department

This document has been electronically generated and it is valid without signature

Regd. & Sales Office : 50/221 A, Manimala Road, Edappally, Kochi - 24, Kerala, India